



204 Motor Carrier Load Tender

X12/V4010/204 : 204 Motor Carrier Load Tender

Table of Contents

204	Motor Carrier Load Tender	1
ISA	Interchange Control Header	3
GS	Functional Group Header	5
ST	Transaction Set Header	7
B2	Beginning Segment for Shipment Information Transaction	8
B2A	Set Purpose	9
L11	Business Instructions and Reference Number	10
AT5	Bill of Lading Handling Requirements	11
NTE	Note/Special Instruction	12
0100	Loop Name	13
N1	Name	14
N3	Address Information	15
N4	Geographic Location	16
G61	Contact	17
0300	Loop Stop Off Details	18
S5	Stop Off Details	19
G62	Date/Time	20
0320	Loop Description, Marks and Numbers	21
L5	Description, Marks and Numbers	22
AT8	Shipment Weight, Packaging and Quantity Data	24
L3	Total Weight and Charges	25
SE	Transaction Set Trailer	26
GE	Functional Group Trailer	27
IEA	Interchange Control Trailer	28

204 Motor Carrier Load Tender

Functional Group=SM

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Motor Carrier Load Tender Transaction Set (204) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set can be used to allow shippers or other interested parties to offer (tender) a shipment to a full load (truckload) motor carrier including detailed scheduling, equipment requirements, commodities, and shipping instructions pertinent to a load tender. It is not to be used to provide a motor carrier with data relative to a Less-than-Truckload bill of lading, pick-up notification, or manifest.

Not Defined:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
	ISA	Interchange Control Header	M	1			Must use
	GS	Functional Group Header	M	1			Must use

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Must use
020	B2	Beginning Segment for Shipment Information Transaction	M	1			Must use
030	B2A	Set Purpose	M	1			Must use
080	L11	Business Instructions and Reference Number	O	50			Used
110	AT5	Bill of Lading Handling Requirements	O	6			Used
130	NTE	Note/Special Instruction	O	10			Used
LOOP ID - 0100					5	N1/140L	
140	N1	Name	O	1		N1/140	Used
160	N3	Address Information	O	2			Used
170	N4	Geographic Location	O	1			Used
190	G61	Contact	O	3			Used

Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP ID - 0300					999		
010	S5	Stop Off Details	M	1			Must use
030	G62	Date/Time	O	2		N2/030	Used
LOOP ID - 0320					99		
130	L5	Description, Marks and Numbers	O	1			Used
135	AT8	Shipment Weight, Packaging and Quantity Data	O	1			Used

Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	L3	Total Weight and Charges	O	1			Used
020	SE	Transaction Set Trailer	M	1			Must use

Not Defined:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
	GE	Functional Group Trailer	M	1			Must use
	IEA	Interchange Control Trailer	M	1			Must use

Notes:

- 1/140L Loop 0100 is used to convey name and address detail relative to bill-to, party controlling freight, or other shipment level name and address information. It is not used to convey ship from or ship to detail which should be handled within loop 0300 in table 2.
- 1/140 Loop 0100 is used to convey name and address detail relative to bill-to, party controlling freight, or other shipment level name and address information. It is not used to convey ship from or ship to detail which should be handled within loop 0300 in table 2.
- 2/030 Use G62 segment either in loop 0300 or loop 0350, but not both.

ISA Interchange Control Header

Pos:	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 16

User Option (Usage): Must use

Purpose: To start and identify an interchange of zero or more functional groups and interchange-related control segments

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ISA01	I01	Authorization Information Qualifier	M	ID	2/2	Must use
		Description: Code to identify the type of information in the Authorization Information				
ISA02	I02	Authorization Information	M	AN	10/10	Must use
		Description: Information used for additional identification or authorization of the interchange sender or the data in the interchange; the type of information is set by the Authorization Information Qualifier (I01)				
ISA03	I03	Security Information Qualifier	M	ID	2/2	Must use
		Description: Code to identify the type of information in the Security Information				
ISA04	I04	Security Information	M	AN	10/10	Must use
		Description: This is used for identifying the security information about the interchange sender or the data in the interchange; the type of information is set by the Security Information Qualifier (I03)				
ISA05	I05	Interchange ID Qualifier	M	ID	2/2	Must use
		Description: Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified				
ISA06	I06	Interchange Sender ID	M	AN	15/15	Must use
		Description: Identification code published by the sender for other parties to use as the receiver ID to route data to them; the sender always codes this value in the sender ID element				
ISA07	I05	Interchange ID Qualifier	M	ID	2/2	Must use
		Description: Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified				
ISA08	I07	Interchange Receiver ID	M	AN	15/15	Must use
		Description: Identification code published by the receiver of the data; When sending, it is used by the sender as their sending ID, thus other parties sending to them will use this as a receiving ID to route data to them				
ISA09	I08	Interchange Date	M	DT	6/6	Must use
		Description: Date of the interchange				
ISA10	I09	Interchange Time	M	TM	4/4	Must use
		Description: Time of the interchange				
ISA11	I10	Interchange Control Standards Identifier	M	ID	1/1	Must use

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: Code to identify the agency responsible for the control standard used by the message that is enclosed by the interchange header and trailer				
ISA12	I11	Interchange Control Version Number	M	ID	5/5	Must use
		Description: Code specifying the version number of the interchange control segments				
ISA13	I12	Interchange Control Number	M	N0	9/9	Must use
		Description: A control number assigned by the interchange sender				
ISA14	I13	Acknowledgment Requested	M	ID	1/1	Must use
		Description: Code sent by the sender to request an interchange acknowledgment (TA1)				
ISA15	I14	Usage Indicator	M	ID	1/1	Must use
		Description: Code to indicate whether data enclosed by this interchange envelope is test, production or information				
ISA16	I15	Component Element Separator	M		1/1	Must use
		Description: Type is not applicable; the component element separator is a delimiter and not a data element; this field provides the delimiter used to separate component data elements within a composite data structure; this value must be different than the data element separator and the segment terminator				

GS Functional Group Header

Pos:	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 8

User Option (Usage): Must use

Purpose: To indicate the beginning of a functional group and to provide control information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GS01	479	Functional Identifier Code	M	ID	2/2	Must use
Description: Code identifying a group of application related transaction sets						
Code Name						
SM Motor Carrier Load Tender (204)						
GS02	142	Application Sender's Code	M	AN	2/15	Must use
Description: Code identifying party sending transmission; codes agreed to by trading partners						
GS03	124	Application Receiver's Code	M	AN	2/15	Must use
Description: Code identifying party receiving transmission; codes agreed to by trading partners						
GS04	373	Date	M	DT	8/8	Must use
Description: Date expressed as CCYYMMDD						
GS05	337	Time	M	TM	4/8	Must use
Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)						
GS06	28	Group Control Number	M	N0	1/9	Must use
Description: Assigned number originated and maintained by the sender						
GS07	455	Responsible Agency Code	M	ID	1/2	Must use
Description: Code identifying the issuer of the standard; this code is used in conjunction with Data Element 480						
GS08	480	Version / Release / Industry Identifier Code	M	AN	1/12	Must use
Description: Code indicating the version, release, subrelease, and industry identifier of the EDI standard being used, including the GS and GE segments; if code in DE455 in GS segment is X, then in DE 480 positions 1-3 are the version number; positions 4-6 are the release and subrelease, level of the version; and positions 7-12 are the industry or trade association identifiers (optionally assigned by user); if code in DE455 in GS segment is T, then other formats are allowed						
Code Name						
004010 Draft Standards Approved for Publication by ASC X12 Procedures Review Board through October 1997						

Semantics:

1. GS04 is the group date.
2. GS05 is the group time.
3. The data interchange control number GS06 in this header must be identical to the same data element in the associated functional group trailer, GE02.

Comments:

1. A functional group of related transaction sets, within the scope of X12 standards, consists of a collection of similar transaction sets enclosed by a functional group header and a functional group trailer.

ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use
		Description: Code uniquely identifying a Transaction Set				
ST02	329	Transaction Set Control Number	M	AN	4/9	Must use
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				

Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

B2 Beginning Segment for Shipment Information Transaction

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To transmit basic data relating to shipment information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
B204	145	Shipment Identification Number	O	AN	1/30	Used
<p>Description: Identification number assigned to the shipment by the shipper that uniquely identifies the shipment from origin to ultimate destination and is not subject to modification; (Does not contain blanks or special characters)</p> <p>Notes: Customer Pickup Number</p>						
B206	146	Shipment Method of Payment	M	ID	2/2	Must use
<p>Description: Code identifying payment terms for transportation charges</p> <p>Code Name</p> <p>PP Prepaid (by Seller)</p> <p>TP Third Party Pay</p>						

Semantics:

1. B202 contains the Standard Carrier Alpha Code (SCAC) of the carrier that will receive the bill of lading.
2. If B211 is used, B206 will indicate the party or parties responsible for payment of the transportation terms identified in B211.

Comments:

1. B202 is mandatory for transaction set 204.
2. B209 is mandatory for rail transactions.

B2A Set Purpose

Pos: 030	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 1

User Option (Usage): Must use

Purpose: To allow for positive identification of transaction set purpose

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
B2A01	353	Transaction Set Purpose Code	M	ID	2/2	Must use

Description: Code identifying purpose of transaction set

Code Name

- 00 Original
- 01 Cancellation

L11 Business Instructions and Reference Number

Pos: 080	Max: 50
Heading - Optional	
Loop: N/A	Elements: 2

User Option (Usage): Used

Purpose: To specify instructions in this business relationship or a reference number

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
L1101	127	Reference Identification	X	AN	1/30	Used

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

L1102	128	Reference Identification Qualifier	X	ID	2/3	Used
-------	-----	------------------------------------	---	----	-----	------

Description: Code qualifying the Reference Identification

Code Name

BM Bill of Lading Number

PO Purchase Order Number

SI Shipper's Identifying Number for Shipment (SID)

Description: *A unique number (to the shipper) assigned by the shipper to identify the shipment*

SO Shipper's Order (Invoice Number)

WO Work Order Number

Description: *Number assigned for work including material and labor beyond normal work required to fulfill a service order*

Syntax Rules:

1. R0103 - At least one of L1101 or L1103 is required.
2. P0102 - If either L1101 or L1102 is present, then the other is required.

AT5 Bill of Lading Handling Requirements

Pos: 110	Max: 6
Heading - Optional	
Loop: N/A	Elements: 3

User Option (Usage): Used

Purpose: To identify Bill of Lading handling and service requirements

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
AT501	152	Special Handling Code	X	ID	2/3	Used
		Description: Code specifying special transportation handling instructions				
AT502	560	Special Services Code	X	ID	2/10	Used
		Description: Code identifying the special service				
AT503	153	Special Handling Description	X	AN	2/30	Used
		Description: Free-form additional description of special handling instructions to appear on printed bill if special handling code is not adequate				

Syntax Rules:

1. E0103 - Only one of AT501 or AT503 may be present.
2. E0203 - Only one of AT502 or AT503 may be present.

NTE Note/Special Instruction

Pos: 130	Max: 10
Heading - Optional	
Loop: N/A	Elements: 2

User Option (Usage): Used

Purpose: To transmit information in a free-form format, if necessary, for comment or special instruction

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NTE01	363	Note Reference Code	O	ID	3/3	Used

Description: Code identifying the functional area or purpose for which the note applies

Code Name

ZZZ Mutually Defined

NTE02	352	Description	M	AN	1/80	Must use
-------	-----	-------------	---	----	------	----------

Description: A free-form description to clarify the related data elements and their content

Comments:

1. The NTE segment permits free-form information/data which, under ANSI X12 standard implementations, is not machine processable. The use of the NTE segment should therefore be avoided, if at all possible, in an automated environment.

Loop Name

Pos: 140 Repeat: 5
 Optional
 Loop: 0100 Elements: N/A

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
140	N1	Name	O	1		Used
160	N3	Address Information	O	2		Used
170	N4	Geographic Location	O	1		Used
190	G61	Contact	O	3		Used

N1 Name

Pos: 140	Max: 1
Heading - Optional	
Loop: 0100	Elements: 2

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use

Description: Code identifying an organizational entity, a physical location, property or an individual

Code Name

BT	Bill-to-Party
CN	Consignee
SH	Shipper

N102	93	Name	X	AN	1/60	Used
------	----	-------------	---	----	------	------

Description: Free-form name

Syntax Rules:

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

N3 Address Information

Pos: 160	Max: 2
Heading - Optional	
Loop: 0100	Elements: 2

User Option (Usage): Used

Purpose: To specify the location of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information	M	AN	1/55	Must use
		Description: Address information				
N302	166	Address Information	O	AN	1/55	Used
		Description: Address information				

N4 Geographic Location

Pos: 170	Max: 1
Heading - Optional	
Loop: 0100	Elements: 3

User Option (Usage): Used

Purpose: To specify the geographic place of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	City Name	M	AN	2/30	Used
		Description: Free-form text for city name				
N402	156	State or Province Code	M	ID	2/2	Used
		Description: Code (Standard State/Province) as defined by appropriate government agency				
N403	116	Postal Code	M	ID	3/15	Used
		Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				

Syntax Rules:

1. C0605 - If N406 is present, then N405 is required.

Comments:

1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
2. N402 is required only if city name (N401) is in the U.S. or Canada.

G61 Contact

Pos: 190	Max: 3
Heading - Optional	
Loop: 0100	Elements: 4

User Option (Usage): Used

Purpose: To identify a person or office to whom communications should be directed

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G6101	366	Contact Function Code	M	ID	2/2	Must use

Description: Code identifying the major duty or responsibility of the person or group named

Code Name

BI Bill To Contact

Description: Service Provider contact for making inquires about information on the invoice

CN Consignee Contact

SH Shipper Contact

G6102	93	Name	M	AN	1/60	Must use
-------	----	------	---	----	------	----------

Description: Free-form name

G6103	365	Communication Number Qualifier	X	ID	2/2	Used
-------	-----	--------------------------------	---	----	-----	------

Description: Code identifying the type of communication number

Code Name

TE Telephone

G6104	364	Communication Number	X	AN	1/80	Used
-------	-----	----------------------	---	----	------	------

Description: Complete communications number including country or area code when applicable

Syntax Rules:

1. P0304 - If either G6103 or G6104 is present, then the other is required.

Comments:

1. G6103 qualifies G6104.

Loop Stop Off Details

Pos: 010	Repeat: 999
Mandatory	
Loop: 0300	Elements: N/A

User Option (Usage): Must use

Purpose: To specify stop-off detail reference numbers and stop reason

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
010	S5	Stop Off Details	M	1		Must use
030	G62	Date/Time	O	2		Used
130		Loop 0320	O		99	Used

S5 Stop Off Details

Pos: 010	Max: 1
Detail - Mandatory	
Loop: 0300	Elements: 3

User Option (Usage): Must use

Purpose: To specify stop-off detail reference numbers and stop reason

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
S501	165	Stop Sequence Number	M	N0	1/3	Must use
		Description: Identifying number for the specific stop and the sequence in which the stop is to be performed				
S502	163	Stop Reason Code	M	ID	2/2	Must use
		Description: Code specifying the reason for the stop				
		Code Name				
		CL		Complete Load		
S509	352	Description	O	AN	1/80	Used
		Description: A free-form description to clarify the related data elements and their content				

Syntax Rules:

1. P0304 - If either S503 or S504 is present, then the other is required.
2. P0506 - If either S505 or S506 is present, then the other is required.
3. P0708 - If either S507 or S508 is present, then the other is required.

Semantics:

1. S509 is the stop reason description.

G62 Date/Time

Pos: 030	Max: 2
Detail - Optional	
Loop: 0300	Elements: 4

User Option (Usage): Used

Purpose: To specify pertinent dates and times

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G6201	432	Date Qualifier	X	ID	2/2	Used
Description: Code specifying type of date						
Code Name						
37 Ship Not Before Date						
38 Ship Not Later Than Date						
G6202	373	Date	X	DT	8/8	Used
Description: Date expressed as CCYYMMDD						
G6203	176	Time Qualifier	X	ID	1/2	Used
Description: Code specifying the reported time						
Code Name						
I Earliest Requested Pick Up Time						
K Latest Requested Pick Up Time						
G6204	337	Time	X	TM	4/8	Used
Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)						

Syntax Rules:

1. R0103 - At least one of G6201 or G6203 is required.
2. P0102 - If either G6201 or G6202 is present, then the other is required.
3. P0304 - If either G6203 or G6204 is present, then the other is required.

Loop Description, Marks and Numbers

Pos: 130 Repeat: 99
 Optional
 Loop: 0320 Elements: N/A

User Option (Usage): Used

Purpose: To specify the line item in terms of description, quantity, packaging, and marks and numbers

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
130	L5	Description, Marks and Numbers	O	1		Used
135	AT8	Shipment Weight, Packaging and Quantity Data	O	1		Used

L5 Description, Marks and Numbers

Pos: 130	Max: 1
Detail - Optional	
Loop: 0320	Elements: 6

User Option (Usage): Used

Purpose: To specify the line item in terms of description, quantity, packaging, and marks and numbers

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
L501	213	Lading Line Item Number	O	N0	1/3	Used
		Description: Sequential line number for a lading item				
L502	79	Lading Description	O	AN	1/50	Used
		Description: Description of an item as required for rating and billing purposes				
L503	22	Commodity Code	X	AN	1/30	Used
		Description: Code describing a commodity or group of commodities				
L504	23	Commodity Code Qualifier	X	ID	1/1	Used
		Description: Code identifying the commodity coding system used for Commodity Code				
		<u>Code</u> <u>Name</u>				
		N National Motor Freight Classification (NMFC)				
		Z Mutually defined				
L505	103	Packaging Code	O	AN	3/5	Used
		Description: Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material; if the Data Element is used, then Part 1 is always required				
		<u>Code</u> <u>Name</u>				
		BAG Bag				
		BDL Bundle				
		BOX Box				
		CRT Crate				
		CTN Carton				
		DRM Drum				
		PAL Pail				
		PCS Pieces				
		PLT Pallet				
		ROL Roll				
		TBE Tube				
		TBN Tote Bin				
L506	87	Marks and Numbers	X	AN	1/48	Used
		Description: Marks and numbers used to identify a shipment or parts of a shipment				
		Notes: LINE ITEM DIMENSIONS				
		Format: "(" "<length*>" "L" "X" "<width*>" "W" "X" "<height*>" "H" ")"				
		* in inches				

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
------------	-----------	---------------------	------------	-------------	----------------	--------------

Example: "(48LX40WX72H)"

Syntax Rules:

1. P0304 - If either L503 or L504 is present, then the other is required.
2. C0706 - If L507 is present, then L506 is required.
3. P0809 - If either L508 or L509 is present, then the other is required.

Comments:

1. L502 may be used to send quantity information as part of the product description.

AT8 Shipment Weight, Packaging and Quantity Data

Pos: 135	Max: 1
Detail - Optional	
Loop: 0320	Elements: 4

User Option (Usage): Used

Purpose: To specify shipment details in terms of weight, and quantity of handling units

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
AT801	187	Weight Qualifier	X	ID	1/2	Used
		Description: Code defining the type of weight				
		Code Name				
		U			Weight Per Unit	
AT802	188	Weight Unit Code	X	ID	1/1	Used
		Description: Code specifying the weight unit				
AT803	81	Weight	X	R	1/10	Used
		Description: Numeric value of weight				
AT805	80	Lading Quantity	O	N0	1/7	Used
		Description: Number of units (pieces) of the lading commodity				
		Notes: The L5*05 Packaging Code value is used to determine if the corresponding Lading Quantify type represents pieces or pallets				

Syntax Rules:

1. P010203 - If either AT801, AT802 or AT803 are present, then the others are required.
2. P0607 - If either AT806 or AT807 is present, then the other is required.

Semantics:

1. AT804 is the quantity of handling units that are not unitized (for example a carton). When added to the quantity in AT805, it is the total quantity of handling units in the shipment.
2. AT805 is the quantity of handling units that are unitized (for example on a pallet or slip sheet). When added to the quantity in AT804 it is the total quantity of handling units for the shipment.

L3 Total Weight and Charges

Pos: 010	Max: 1
Summary - Optional	
Loop: N/A	Elements: 4

User Option (Usage): Used

Purpose: To specify the total shipment in terms of weight, volume, rates, charges, advances, and prepaid amounts applicable to one or more line items

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
L301	81	Weight	X	R	1/10	Used
		Description: Numeric value of weight				
L302	187	Weight Qualifier	X	ID	1/2	Used
		Description: Code defining the type of weight				
		Code Name				
		G	Gross Weight			
L311	80	Lading Quantity	O	N0	1/7	Used
		Description: Number of units (pieces) of the lading commodity				
L312	188	Weight Unit Code	O	ID	1/1	Used
		Description: Code specifying the weight unit				
		Code Name				
		L	Pounds			

Syntax Rules:

1. P0102 - If either L301 or L302 is present, then the other is required.
2. P0304 - If either L303 or L304 is present, then the other is required.
3. P0910 - If either L309 or L310 is present, then the other is required.
4. C1201 - If L312 is present, then L301 is required.
5. P1415 - If either L314 or L315 is present, then the other is required.

Semantics:

1. L305 is the total charges.

SE Transaction Set Trailer

Pos: 020	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments	M	N0	1/10	Must use
		Description: Total number of segments included in a transaction set including ST and SE segments				
SE02	329	Transaction Set Control Number	M	AN	4/9	Must use
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				

Comments:

1. SE is the last segment of each transaction set.

GE Functional Group Trailer

Pos:	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of a functional group and to provide control information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GE01	97	Number of Transaction Sets Included	M	N0	1/6	Must use
		Description: Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element				
GE02	28	Group Control Number	M	N0	1/9	Must use
		Description: Assigned number originated and maintained by the sender				

Semantics:

1. The data interchange control number GE02 in this trailer must be identical to the same data element in the associated functional group header, GS06.

Comments:

1. The use of identical data interchange control numbers in the associated functional group header and trailer is designed to maximize functional group integrity. The control number is the same as that used in the corresponding header.

IEA Interchange Control Trailer

Pos:	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To define the end of an interchange of zero or more functional groups and interchange-related control segments

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
IEA01	I16	Number of Included Functional Groups	M	N0	1/5	Must use
		Description: A count of the number of functional groups included in an interchange				
IEA02	I12	Interchange Control Number	M	N0	9/9	Must use
		Description: A control number assigned by the interchange sender				